PTO/SB/29 (12/97)

Approved for use through 09/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

ler the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

# UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

sporta to a concettori or inform	nation allioso it displaye		
Attorney Docket No.	9118-037	Total Pages	37
First Named	Inventor or Applicatio	n Identifier	
Alexander Mashinsk	y et al.		
Express Mail Label No.	FI 168 273 362	2 US	

See MP	APPLICATION ELEMENTS EP chapter 600 concerning utility patent app	olication con	tents.	A	DDRESS TO: 1	Assistant C Box Patent Washington	Appli	
1. ⊠ Fee T Subm	ransmittal Form it an original, and a duplicate for fee process	sing)		6. 🗆	Microfiche Comp	uter Progra	m <i>(A</i> ,	opendix)
2. 🛛 Speci		[Total Page	es <u>19</u> ]	7. 🗆	Nucleotide and/or (if applicable, all			quence Submis to
-Desc	riptive title of the Invention			a.	☐ Computer Rea	adable Copy	y	-00
-Cros	s Reference to Related Applications							ine
-State	ement Regarding Fed sponsored R&D			b.	☐ Paper Copy (i	dentical to	comp	outer copy)
-Refe	rence to Microfiche Appendix			c	☐ Statement ve	rifvina iden	itity c	f above copies
-Back	ground of the Invention		!					3 =
	Summary of the Invention				<b>ACCOMPANY</b>	ING APP	LICA	ATION PARTS
	Description of the Drawings (if filed)				A i		haat	P. do ourmont/o)\
-Deta	iled Description of the Invention (including d	rawings, <i>if fi</i>	iled)	8.⊔	Assignment Pape	ers (cover s		
-Clain	n(s)			9. 🗆	37 CFR 3.73(b)			Power of Attorney
	ract of the Disclosure		. 401		(when there is an	-	mt /if	ann/ianh/al
3. 🔯 Draw	ing(s) (35 USC 113) (Figs. 1-7)	[Total She	ets <u>10</u> ]	l	English Translation			Copies of IDS
4. An Oath	or Declaration	[Total She	ets <u>2</u> ]	11. ⊔	Information Disci Statement (IDS)/		U	Citations
a X N	ewly executed (original or copy)			1	Preliminary Ame			
G Co	opy from a prior application (37 CFR 1.63(d) or continuation/divisional with Box 17 compl	) leted)		13. ⊠	Return Receipt P (Should be speci			503)
, 1	[Note Box 5 below]			14. ⊠				in prior application,
Fin i. □	DELETION OF INVENTORS(S)							er and desired
Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33 (b).				15. □ 	Certified Copy of (if foreign priority			ent(s)
	poration By Reference (useable if Box 4b is o		6.1	16. 🗆	Other:			
oath of th	entire disclosure of the prior application, from or declaration is supplied under Box 4b, is contained to the disclosure of the accompanying application porated by reference therein.	onsidered as	being part					
	NTINUING APPLICATION, check appropriate	box and sur	oply the reau	isite inf	ormation:			
	inuation   Divisional   Continuation			ior appl	ication No: 09/21:		12/1	7/98;
				-	9/129,413 filed 8	•	4 08/	920,567 filed 8/29/97.
	*	e coppe	PONDENCE			. 17077 and	- 00/	0_0,007 104 0,20,071
			PONDENCE					.,
☑ Custon	ner Number or Bar Code Label (Insert C	ustomer No.	0583 or Attach ba here)	ar code	<i>label</i> or	☐ Corresp	onde	nce address below
	Pannia & Edmands II P					· .		
NAME	Pennie & Edmonds LLP							
	1155 Avenue of the Americas							
ADDRESS								
CITY	New York		STATE	NY		ZIP CO	DE	10036-2711
COUNTRY	IISA	7	ELEPHONE	212	790-9090	F	AX	212 869-9741

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re:	<ul><li>☑ Application of: Alexander Mashinsky et al.</li><li>☐ Patent of:</li></ul>	
☑ App ☐ Pate	lication No.: To be assigned nt No.:	Group Art Unit: To be assigned
⊠ Filed □ Issue	d: herewith ed:	Examiner: To be assigned
For:	ASSIGNING TELECOMMUNICATIONS SERVICES TO MATCHABLE CLASSES	Attorney Docket No.: 9118-037
VER	IFIED STATEMENT (DECLARATION) CLAI [37 CFR 1.9(f) and 1.27(b)] - Inde	
	nt Commissioner for Patents ngton, D.C. 20231	
Sir:		
defined Title 3: invention	elow named inventor, I hereby declare that I qual in 37 CFR 1.9(c) for purposes of paying reduces, United States Code, to the Patent and Tradem on entitled ASSIGNING TELECOMMUNICAT CHABLE CLASSES described in	ed fees under section 41(a) and (b) of ark Office with regard to the
	<ul><li>☒ the specification filed herewith</li><li>☐ application no. filed</li><li>☐ patent no. issued</li></ul>	
who co	not assigned, granted, conveyed or licensed and et or law to assign, grant, convey or license, any buld not be classified as an independent inventor ade the invention, or to any concern which would in under 37 CFR 1.9(d) or a nonprofit organization	rights in the invention to any person under 37 CFR 1.9(c) if that person d not qualify as a small business
license	erson, concern or organization to which I have a d or am under an obligation under contract or la any rights in the invention is listed below:	
	☐ no such person, concern, or organizations li	
organiz	E: Separate verified statements are required from ration having rights to the invention averring to to (R 1.27)	

FULL NAME_AN	IP, INC.	
ADDRESS c/o	CSC Services of Nevada, Inc.	
	East John Street	
	son City, Nevada 89705	
	SMALL BUSINESS CONCERN	□ NONPROFIT ORGANIZATION
FULL NAME		
□ INDIVIDUAL	☐ SMALL BUSINESS CONCERN	☐ NONPROFIT ORGANIZATION
FULL NAME		
□ INDIVIDUAL	☐ SMALL BUSINESS CONCERN	□ NONPROFIT ORGANIZATION
FULL NAME		
□ INDIVIDUAL	☐ SMALL BUSINESS CONCERN	<ul><li>□ NONPROFIT ORGANIZATION</li></ul>

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. [37 CFR 1.28 (b)]

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, and patent issuing thereon, or any patent to which this verified statement is directed.

Send correspondence to:

PENNIE & EDMONDS LLP 1155 Avenue of the Americas New York, N.Y. 10036-2711 Direct Telephone calls to: PENNIE & EDMONDS LLP (212) 790-9090

NAME OF INVENTOR Alexander Mashinsky	NAME OF INVENTOR  Daniel Jitzchak Mayer	NAME OF INVENTOR
SIGNATURE OF INVENTOR	SIGNATURE OF INVINTIGE	SIGNATURE OF INVENTOR
DATE August 5, 1999	DATE August 5, 1999	DATE
NAME OF INVENTOR	NAME OF INVENTOR	NAME OF INVENTOR
SIGNATURE OF INVENTOR	SIGNATURE OF INVENTOR	SIGNATURE OF INVENTOR
DATE	DATE	DATE

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: ☒ Application of: Alexander Mashinsky et a  ☐ Patent of:	и.
<ul><li>☑ Application No.: To be assigned</li><li>☐ Patent No.:</li></ul>	Group Art Unit: To be assigned
<ul><li>☒ Filed: herewith</li><li>☐ Issued:</li></ul>	Examiner: To be assigned
For: ASSIGNING TELECOMMUNICATIONS SERVICES TO MATCHABLE CLASSES	Attorney Docket No.: 9118-037
VERIFIED STATEMENT (DECLARATION) CL [37 CFR 1.9(f) and 1.27(c)] - Sm	AIMING SMALL ENTITY STATUS all Business Concern
Assistant Commissioner for Patents Washington, D.C. 20231	
Sir:	
I hereby declare that I am	
☐ the owner of the small business c ☐ an official of the small business c ☐ the concern identified below: ☐ Name of concernANIP, INC	oncern empowered to act in behalf of
Address of concern c/o CSC Se	rvices of Nevada, Inc.
502 East Jol	
Carson City	, Nevada 89705
I hereby declare that the above identified small business concern as defined in 37 CFR 1.9(d), for presention 41(a) and (b) of Title 35, United States Code the concern, including those of its affiliates, does not this statement, (1) the number of employees of the previous fiscal year of the concern of the person entemporary basis during each of the pay periods of the affiliates of each other when either, directly or indipower to control the other, or a third party or participation.	ourposes of paying reduced fees under e, in that the number of employees of out exceed 500 persons. For purposes of ousiness concern is the average over the apployed on a full-time, part-time or the fiscal year, and (2) concerns are rectly, one concern controls or has the
I hereby declare that rights under contract or law hereby the small business concern and/or there is an obligation inventor(s) to convey rights to the small business contitled ASSIGNING TELECOMMUNICATIONS CLASSES by inventor(s) Alexander Mashinsky et a	ntion under contract or law by the oncern with regard to the invention, SERVICES TO MATCHABLE
<ul><li>☑ the specification filed herewith.</li><li>☐ application no. filed</li><li>☐ patent no. issued .</li></ul>	

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below and no

rights to the invention are held by any person, other than the inventor, who could not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

CHIL NAME		
ADDRESS		
□ INDIVIDUAL	□ SMALL BUSINESS CONCERN	□ NONPROFIT ORGANIZATION
FULL NAME		
ADDRESS	and the second s	
ADDRESS		
□ INDIVIDUAL	□ SMALL BUSINESS CONCERN	□ NONPROFIT ORGANIZATION
FIII NAME		
ADDRESS		
ADDRESS		
□ INDIVIDUAL	□ SMALL BUSINESS CONCERN	☐ NONPROFIT ORGANIZATION
status as a small entity is  I hereby declare that all statements made on info statements were made ware punishable by fine or	the issue fee or any maintenance fee is no longer appropriate. [37 CFR 1] statements made herein of my own ormation and belief are believed to by the knowledge that willful false or imprisonment, or both, under Sec	knowledge are true and that all the true; and further that these statements and the like so made tion 1001 of Title 18 of the
United States Code, and	I that such willful false statements missuing thereon, or any patent to wh	nay jeopardize the validity of the
Send correspondence to	: PENNIE & EDMONDS LLP 1155 Avenue of the Americas New York, N.Y. 10036-2711	Direct Telephone calls to: PENNIE & EDMONDS LLP (212) 790-9090
Name of person signing	Alexander Mashinsky	
Title of person other tha	·	
	ng 226 East 54th Street	
The state of the s	New York, NY 10022	
Signature	Was	Date August 5, 1999
Digitaturo 1		
*NOTE: Separate verif	ied statements are required from each	ch named person, concern or

\*NOTE: Separate verified statements are required from each named person, concern of organization having rights to the invention averring to their status as small entities.

(37 CFR 1.27)

# ASSIGNING TELECOMMUNICATIONS SERVICES TO MATCHABLE CLASSES

This is a continuation-in-part of U.S. patent application serial No. 09/213,703, filed December 17, 1998, which is a continuation-in-part of U.S. patent application serial No. 09/129,413, filed August 5, 1998; and U.S. patent application serial No. 08/927,443, filed September 11, 1997, which is a continuation-in-part of U.S. patent application serial No. 08/920,567, filed August 29, 1997, all of which are hereby incorporated by reference.

10

5

#### Field of the Invention

The invention relates to a system and method for buying and selling telecommunications services. More specifically, the invention relates to a system and method that automatically matches buy and sell orders by assigning pluralities of services with similar characteristics to classes of telecommunications services.

#### Background of the Invention

Before the deregulation of international communication services, carriers interconnected their networks based on bilateral agreements and associated accounting rates. Deregulation, however, has spawned intense competition, sending carriers scrambling to reduce their costs to stay competitive. Thus, carriers are constantly searching for new, cheaper routes with specific characteristics. Carriers strike new bilateral agreements at an accelerating rate, each with its own service level agreement and accounting rates. At the same time and for the same reasons, the useful lifespan of these agreements is shortened as each carrier continues to look for (and find) better deals.

25

30

As described in co-pending application serial No. 09/213,703, which is hereby incorporated by reference in its entirety, many of the problems arising from this bilateral agreement model may be overcome by adopting an exchange model for the trading of telecommunications services. The exchange model connects the networks of multiple carriers through a limited number of interconnection nodes, permitting carriers to seek, find, and interconnect to better-priced networks without requiring new agreements and interconnections. Each carrier needs to reach only one agreement with the operator of such an exchange to enable interconnection with any other carrier so connected.

30

5

10

Since the exchange model requires contractual agreements between each participating carrier and the exchange operator, it is important that the agreement be standardized so that it has uniform meaning among all participating carriers, and can provide a feasible basis for trading communication services.

But such contracts characterize services using a large variety of possible parameters, many of which may take on any one of a plurality of values. Examples of such parameters are origin and destination, quantity, type of service (e.g., circuit-switched voice, fax, data, video, messaging services, voice mail, e-mail, paging, universal mailbox), transmission technology employed (e.g., ISDN, ATM), coding technology used (e.g., voice codecs, data compression techniques), signaling method used to control the interconnected network (e.g., SS7, H.323), voice quality of service (VQoS), reliability, security of transmission, post dial delay (PDD), answer seizure ratio (ASR), price, and the term of each agreement (beginning, ending).

When contracts are negotiated on a custom basis (as is the case with bilateral agreements), matching the characteristics of services required with those of services offered is the subject of negotiations between the parties and is addressed in the final agreement. In the exchange model, however, interconnection remains fixed while contracts may change in quick succession; this requires the automation of negotiations and resulting operational transitions. However, automated matching of required and offered services is often impractical when the number of specifiable parameters and the value assigned to them is large. The number of combinations possible when n parameters are specified and each may acquire m possible values is n to the power of m. The large number of potential combinations of features drastically reduces the probability of matching all the parameters of a service required by a buyer with all the parameters of a service offered by a seller.

The problem is exacerbated by the variability of parameters (such as those associated with quality) over time. Typically, the exchange operator is responsible for monitoring service quality to ensure that it continues to meet the requirements specified by the buyer. In practice, this monitoring may reveal significant deviations between the promised and delivered quality of service. In that event, the exchange operator may swap, in real time, circuits meeting the contracted parameters in place of the ones that violate the contract. When the number of possible combinations of parameters is large, the probability of finding a

2 NY2 - 985231.1

30

5

10

suitable circuit in real time is small.

#### Summary of the Invention

The present invention provides a system and method for assigning services to a relatively small number of tagged classes based on the values of certain parameters characterizing these services. Carriers participating in the exchange may use the class tag to refer to each service they seek to purchase or sell. The relatively small number of classes increases the probability of matching offered and required services. Class definitions may be established on the basis of typical parameter values for a particular type of service, and may be modified over time as those values change.

The exchange operator may monitor the parameter variation of each offered service, and swap that service for a different service when monitored variation exceeds that dictated by class boundaries. The system may employ a hysteresis band of suitable dimensions to ensure that the assignment of offered services to classes is as stable as desired while remaining sensitive to meaningful variations in parameter values.

### Brief Description of the Drawings

The above summary of the invention will be better understood when taken in conjunction with the following detailed description and accompanying drawings, in which:

- Fig. 1 is a block diagram of a telecommunications sales architecture suitable for implementing the present invention;
- Fig. 2 is a flowchart depicting a preferred embodiment of the system and method of the present invention;
- Figs. 3A-E are tables depicting preferred embodiments of grade definitions of a telecommunications service;
- Figs. 4A-B are tables depicting preferred embodiments of input templates for a seller and a buyer of a telecommunications service;
- Figs. 5A-B are tables depicting preferred embodiments of input templates for inputting parameters of a telecommunications service that define the grade;
- Fig. 6A is a graph illustrating an example of grade change as a function of a variation in parameter value over time;

Fig. 6B is a table illustrating an example of grade change as a function of a variation in parameter value; and

Fig. 7 is a graph illustrating an example using a hysteresis band in grade change.

5

10

## Detailed Description of the Preferred Embodiment

Fig. 1 shows a preferred embodiment of a telecommunications sales architecture suitable for implementing the system and method of the present invention. As shown in Fig.1, seller 101 connects to a telecommunications server node 106 via a communication line 104. Communication line 104 may constitute a Public Switched Telephone Network (PSTN) line, an Internet connection, or any other suitable communication link. In a preferred embodiment, sellers connect to server node 106 via a template 401 which may be accessed at a world-wide-web secure site connected to server node 106. A preferred embodiment of template 401 is described below in connection with Fig. 4A. As is further shown in Fig. 1, a buyer 102 connects to server node 106 via a communication line 105. Communication line 105 may connect via the same or a different network as communication line 104. In a preferred embodiment, buyers connect to server node 106 via a template 415 which may be accessed at the world-wide-web secure site connected to server node 106. A preferred embodiment of template 415 is described below in connection with Fig. 4B.

Server node 106 further comprises a processor 109 that matches offers to sell with offers to buy and brokers transactions of telecommunications services as described in more detail below. The system of Fig. 1 further comprises an interconnection node 103 that serves as an interconnection point between a telecommunications network 110 of seller 101 and a telecommunications network 111 of buyer 102, and enables buyer 102 to use telecommunications services purchased by it through server node 106.

25

30

Server node 106 is preferably connected to interconnection node 103 via a communication line 121, and provides that node with instructions for connecting, e.g., telecommunications networks 110, 111. Interconnection node 103 contains quality monitoring equipment 150, which may be connected to server node 106 via a communication line 151. Quality monitoring equipment 150 provides server node 106 with quality updates that enable server node 106 to update as necessary the classes to which particular services are assigned.

Fig. 2 is a flowchart illustrating a preferred embodiment of the system and method of the present invention. As shown in Fig. 2, at step 202, server node 106 classifies telecommunications services based on parametrically defined class boundaries. Different value ranges for a set of parameters determine the class to which a telecommunications service is assigned. Each class is typically associated with a quality grade which is parametrically defined. One illustrative example of a series of grade definitions is now described in connection with Figs. 3A-E. As illustrated in Fig. 3A, Grade A may be defined as any service meeting <u>all</u> of the following requirements:

good speech clarity, <u>and</u>
no perceptible loudness degradation, <u>and</u>
no perceptible noise, <u>and</u>
no perceptible cross-talk, <u>and</u>
full-duplex communications with imperceptible echo, <u>and</u>
one-way latency shorter than 100 milliseconds.

5

10

£"1

ij

ž.;;

IJ

20

25

30

35

40

As illustrated in Fig. 3B, Grade B may be defined as service that differs from Grade A service in <u>one or more</u> of the following respects:

fully comprehensible speech with little clarity degradation, or fully comprehensible speech with little loudness degradation, or fully comprehensible speech with little perceptible noise, or full duplex communications with little perceptible echo, or barely perceptible cross-talk, or one-way latency between 101 and 135 milliseconds.

As illustrated in Fig. 3C, Grade C may be defined as service that differs from Grade A service in <u>one or more</u> of the following respects:

fully comprehensible speech with some clarity degradation, <u>or</u> fully comprehensible speech with some loudness degradation, <u>or</u> fully comprehensible speech with some perceptible noise, <u>or</u> full duplex communications with barely perceptible echo, <u>or</u> barely perceptible cross-talk, <u>or</u> one-way latency between 136 and 175 milliseconds.

As illustrated in Fig. 3D, Grade D may be defined as service that differs from Grade A service in <u>one or more</u> of the following respects:

occasional difficulty in speech comprehension, <u>or</u> occasional difficulty in transiting real-time fax, <u>or</u> noticeable loudness degradation, <u>or</u> some perceptible cross-talk, <u>or</u> less than full duplex communications (e.g., one direction of communication is noticeably

35

5

10

15

blocked while the other direction is active), or commonly perceptible echo not interfering with interactive conversations, or one-way latency between 176 and 200 milliseconds.

As illustrated in Fig. 3E, Grade E may be defined as service that differs from Grade A service in one or more of the following respects:

difficulty in speech comprehension, <u>or</u> unable to transit real-time fax, <u>or</u> significant loudness degradation, <u>or</u> perceptible cross-talk, <u>or</u> virtually half-duplex communications (e.g., one direction of communication is significantly blocked while the other direction is active), <u>or</u> commonly perceptible echo interfering with interactive conversations, <u>or</u> one-way latency exceeding 201 milliseconds.

Note that subjective terms such as "no perceptible echo" have associated objective, measurable parameters with appropriate reference to commonly understood standards.

In step 204, a seller connects to server node 106 preferably via a world-wide-web secure site as described above. In step 206, the seller is prompted to enter information concerning the service it desires to offer, preferably via template 401. As shown in Fig. 4A, template 401 first prompts the seller to enter its name, ID number, and password. The next lines on template 401 prompt the user to enter information concerning the service offered for sale. In the particular example illustrated in Fig. 4A, the user is prompted to enter the originating and terminating locations for the offered service, the seller price, and the capacity, number of circuits, and timeframe for the offered service.

The next template line prompts the seller to enter the grade of the service being offered for sale. If the seller knows the grade of the service it is selling, the seller may enter the grade as shown in step 208. If the seller does not know the grade of the service it wishes to sell (e.g., because it is unfamiliar with the grade definitions), the seller indicates this fact to server node 106 by clicking on icon 470, as illustrated in step 207. In that event, the system proceeds to step 210 and the seller is prompted with a second template to enter specific operational parameters of the service being offered for sale. A preferred embodiment of the second template is shown in Fig. 5A. The parameters elicited from the seller preferably correspond to the parameters used by the system to determine the grade of a particular service. In step 212, the seller enters the parameters specified in the template of Fig. 5A. Then, at step 214, server node 106 determines the service grade using the inputted parameter values.

30

5

10

Once the service grade has been inputted or determined, the system tests the service to verify the grade (step 216). Thereafter, the system periodically tests and verifies the grade of each service that is available for sale in the system (step 218). If any parameter value changes, and if that change is sufficient to require a change in class assignment, the system reclassifies that particular telecommunications service in step 220. Once the classes of the services have been verified, they are available for sale to buyers.

The system also collects information from buyers concerning telecommunications services that they seek to purchase. Thus, in step 222, a buyer connects to server node 106 preferably via a world-wide-web secure site as described above. In step 224, the buyer is prompted to enter information concerning the required service, preferably via template 415. As shown in Fig. 4B, template 415 first prompts the buyer to enter its name, ID number, and password. The next lines on template 415 prompt the buyer to enter information concerning the required service. In the particular example illustrated in Fig. 4B, the template prompts the user to enter the originating and terminating location for the required service, the buyer price, and the capacity, number of circuits, and timeframe for the required service.

The next template line prompts the buyer to enter the grade of service it wishes to purchase. If the buyer knows the grade of service it wishes to purchase, it may enter the grade as shown in step 226. If the buyer does not know the grade it wishes to purchase (e.g., because it is unfamiliar with the grade definitions), it indicates this fact to server node 106 by clicking on icon 472, as illustrated in step 225. In that event, the system proceeds to step 228 and the buyer is prompted by a second template to enter specific operational parameters of the service it wishes to purchase. A preferred embodiment for such a template is shown in Fig. 5B.

In step 230, the buyer enters the parameters specified in the template of Fig. 5B. The parameters elicited from the buyer preferably correspond to the parameters used by the system to determine the grade of a particular service. Then, at step 232, the system determines the grade of service desired by the buyer on the basis of the inputted parameter values. In a further preferred embodiment, the system may inform the buyer of the determined grade and request approval of the grade from the buyer. In addition, once a grade has been determined for the service request (either by the buyer or the system), the system may inform the buyer of a price at which it will be able to match the buyer's service request with a service offer, and give the buyer the opportunity to enter that price on, for example, template 415.

Thus, the system establishes a plurality of offers to sell and offers to buy

7 NY2 - 985231.1

30

5

10

telecommunications services each of which is assigned to a particular class of service defined in terms of a predefined range of values for a particular group of service parameters.

The system then brokers transactions of telecommunications services between buyers and sellers. In particular, server node 106 matches buy orders to sell orders. This functionality is represented in step 234. Then, in step 236, server node 106 checks to see if the buy order is within the buyer's credit limit. If the buyer's buy order exceeds the credit limit, server node 106 notifies the buyer of the credit limit, as illustrated in step 238. The buyer may choose to create a new buy order. In that event, the buyer is returned to step 224 where it can enter a new service request. If the buyer does not want to create a new service request, the buyer exits the system in step 242. If the buyer's buy order does not exceed the buyer's credit limit, then, in a preferred embodiment, the system may request approval from the buyer before executing the transaction (step 244). At step 246, the buyer decides whether or not it wishes to accept the proposed transaction. If the buyer accepts, server node 106 brokers the transaction between the parties transferring the subject telecommunications services from the seller to the buyer. Alternatively, the system may conduct an open- or closed-bid auction in which all sellers offering a particular grade of service bid for the right to sell service to a buyer. At step 248, one or more interconnection nodes between the seller and the buyer are enabled to permit the buyer to utilize the purchased telecommunications services.

It should be noted that although in the preferred embodiment shown in Fig. 1 both the buyer and the seller are telecommunications carriers, telecommunications services may also be bought and sold via server node 106 by other entities who are not telecommunications carriers for purpose of investment or speculation.

In a further preferred embodiment, the system may assign a plurality of services to classes. Each class preferably comprises a plurality of service offers of like grade. When an offer to buy telecommunications service is received, the system may allocate service from a matching class to fill the request, without specifying at the time of the transaction the particular service provider that will be used to provide the desired telecommunications service. When the buyer wishes to utilize the purchased service to, for example, connect a voice telephone call, the system identifies a particular service provider in the class to handle the call, and enables an interconnection node between that service provider and the buyer to permit the buyer to connect the call via the service provider's network or other facilities. The choice of service provider may be based on one or more factors, such as price or availability of circuits.

8 NY2 - 985231.I

30

35

5

10

If no match is identified in step 234, server node 106 searches for an alternative service for the buyer's need in step 250. If there is an alternative, this alternative is recommended in step 252. The buyer may accept the recommendation in step 254. If the buyer rejects the recommendation, the buyer may choose to create a new service request. In that event, the buyer is returned to step 224 where it can enter a new service request. If the buyer does not want to create a new service request, the buyer exits the system in step 256.

In a preferred embodiment, the system may define service grades based on conditions normally expected for a particular telecommunications service. Assume, for example, that ASR value is one of multiple parameters used to characterize service grade. If, for example, the median ASR value from New York to London is 70%, the system might designate ASR>70% to constitute grade B service, and then define an ASR requirement for each other defined grade relative to that of grade B. For example, with respect to routes connecting New York and London, the system might define the ASR requirement to belong to a particular service grade as:

```
Grade A: ASR > 85%
Grade B: 84% > ASR > 70%
Grade C: 69% > ASR > 55%
Grade D: 45% > ASR > 40%
Grade E: 39% > ASR > 25%
```

In contrast, assume that the median ASR value for calls from New York to California is 85%. The system might then define the ASR requirements for telecommunications services connecting those two locations as:

```
Grade A: ASR > 95%
Grade B: 94% > ASR > 85%
Grade C: 84% > ASR > 70%
Grade D: 69% > ASR > 55%
Grade E: 54% > ASR > 40%
```

Information concerning ASR and other parameters may be taken from industry indexes published by recognized bodies such as the ITU-T. Alternatively, parameter information may be independently derived by the exchange operator. The exchange operator may define its own grade definitions, or alternatively may adopt definitions created by others. Although the above example employs the median value, other measures such as the average may alternatively be employed.

As a matter of notation, it may also be useful to specify service quality in relation to the

10

above-mentioned industry indexes. For example, if telecommunications service from New York to Buenos Aires typically exhibits ASR of 45%, PDD (post dial delay) of 12 seconds, and CCI (call clarity index) of 3, then a service on that route with an ASR of 50%, a PDD of 10 seconds, and a CCI of 4 may be represented as: ASR+5, PDD-2, and CCI+1.

Similarly, the quality of particular services may be described in relation to service grades defined by server node 106. Continuing with the above example, if grade D service from New York to Buenos Aires is defined by the parameters: ASR greater than 35%; PDD greater than 18 seconds; and CCI greater than 2, then the above described service may be defined relative to grade D as: ASR+15, PDD-8, and CCI+2.

In a further preferred embodiment, the system may change the grade definitions for a class of telecommunications services as the values for particular parameters on those services change over time. Thus, for example, as illustrated in Figs. 6A-B, if the median call quality between New York and London improves, the definition for grade B service (and accordingly for grades A and C-E) may be modified to reflect the new standard. As a result, services that fail to improve their call quality may drop to a class with lower grade characteristics.

Furthermore, server node 106 may preferably monitor real-time quality variation of offered services, and adaptively swap the assignment of offered services when monitored variation in one or more parameter values exceeds that prescribed by class boundaries. In a preferred embodiment, the service may be swapped for another service from the appropriate class of service offers characterized by the same grade of service, as described above. Penalties may be assessed against a seller if it becomes necessary to substitute another service for the seller's service.

In a preferred embodiment, the system uses a hysteresis band of suitable dimensions to ensure that swapping of offered services among grades is as stable as desired while remaining sensitive to meaningful variations in measured parameters.

This preferred embodiment may be demonstrated with the aid of Fig. 7. Assume that ASR greater than 65% characterizes a service from New York to London as Grade B. Also assume that the exchange operator defines a hysteresis band of 5% for ASR. When the measured smoothed average ASR for grade B service drops below 60%, the service is reassigned from Grade B to Grade C. Once in Grade C, the service cannot transition back to Grade B unless the measured smoothed ASR value exceeds 65%. The hysteresis band assures

30

30

5

10

that the assignment of services to classes is stable. Without such a band, ASR fluctuations between, for example, 66% and 64% would result in frequent reassignment of the service from grade B to grade C, and back again.

In a further preferred embodiment, the system may permit carriers to specify the weight assigned to specific parameters for characterizing required services. In this case, the matching of required services to offered services is to a larger degree subjective (dependent on the needs of the carrier requiring the service) and less objective (where all carriers view matching grades in exactly the same terms). Note that these weights may be used in the actual classification of service requests, or alternatively in the process of matching required services with offered services.

For example, a carrier may specify that parameters associated with voice quality of service (e.g., CCI) are more important to it than Post-Dial Delay. When specifying a desired service, this carrier may choose to permit matching 'Best' (Grade A) services with poorer PDD characteristics. The carrier may indicate this by specifying importance factors; for example, a CCI importance factor of 60% and an ASR importance factor of 10%. Alternatively, a carrier may specify a CCI variability of 0 classes, and a PDD variability of 1 class. Alternatively, a carrier may specify PDD variability as Grade A +10 (seconds). In this further preferred embodiment, the system may fill the service request with a service offer that meets the class definition as modified by the parameter variances acceptable to the buyer.

In a further preferred embodiment, price may optionally be included as a parameter whose value is used in assigning services into classes. This becomes especially useful for producing securitized, tradable commodities of communications service contracts.

In a further preferred embodiment, rather than assigning services to pre-defined classes, the system may cluster services (defined through their parameter values) so as to derive the number of classes, associated class boundaries, and service assignments that would maximize a particular objective function of the telecommunications matching system. For example, it may be desirable to define the grade definitions so as to maximize the number of matched services between buyers and sellers. Alternatively, it may be desirable to maximize the value (i.e., price times volume) of the aggregate of all transactions matched by the system. In addition, under some circumstances, it may be desirable to specify the number of clusters or minimize the number of resulting unmatched services.

11 NY2 - 985231.1

10

In this preferred embodiment, a plurality of raw service parameters (e.g., ASR, PDD) are used to define the universe of services requiring matching. The system clusters these services in accordance with the objective function and the relative distances of parameters characterizing these services. The resulting clusters and the services that form them become the definition of the resulting classes and their members.

Clustering of parameters may be achieved in several ways such as by hierarchical cluster analysis. Hierarchical cluster analysis is a statistical method for finding relatively homogenous groups of cases based on measured characteristics. The analysis starts with each parameter in a separate cluster and then combines the clusters sequentially, reducing the number of clusters at each step until only one cluster is left. When there are N parameters, this involves N-1 clustering steps or fusions. This hierarchical clustering process can be represented as a tree, where each step in the clustering process is illustrated by a fork in the tree. Cluster software suitable for implementing hierarchical cluster analysis is available from, for example, Clustan Ltd., of Edinburgh, U.K.

While particular classes and features have been explained above, the class definitions and features are examples and not limiting. Different classifications using different parameters may alternatively be chosen. While the invention has been described in conjunction with specific embodiments, it is evident that numerous alternatives, modifications, and variations will be apparent to those skilled in the art in light of the foregoing description. In particular, although the foregoing description has focused on parameters relating primarily to voice telecommunications, the principles of the present invention apply to other types of telecommunications, such as data and multimedia.

12 NY2 - 985231.1

1
. 34
Ž.,
100
mad than
15
Ç
≅
£.,}
20
2.12 2.13 2.13
i i
20
ij

#### Claims:

1. A method of trading telecommunications services, comprising:

identifying at least one parameter;

5

specifying for that parameter a plurality of values, each value associated with a particular class of service;

receiving from a seller an offer to sell a telecommunications service;

10

assigning the offered telecommunications service to a class on the basis of the asserted value of that parameter in the offered telecommunications service;

receiving from a buyer an offer to purchase a required telecommunications service;

assigning the required telecommunications service to a class;

matching the offer to sell to the offer to buy when the offered telecommunications service is the same class as the required telecommunications service;

brokering a transaction that effects a transfer of ownership of the offered telecommunications service from the seller to the buyer.

- 2. The method of claim 1 wherein the offered telecommunications service is assigned to a class by the seller.
- 3. The method of claim 1 wherein the offered telecommunication service is assigned to a class by the entity that brokers the transaction between the seller and the buyer.
- 4. The method of claim 1 wherein the required telecommunication service is assigned to a class by the buyer.

30

5

10

- 5. The method of claim 1 wherein the required telecommunication service is assigned to a class by the entity that brokers the transaction between the seller and the buyer.
- 6. The method of claim 1 wherein at least one of the values specified for the parameter is a function of a median value for the parameter for a class of telecommunications services including the offered telecommunications service.
- 7. The method of claim 6 wherein the at least one value is modified over time as the median value for the parameter changes.
- 8. The method of claim 1, further comprising:

monitoring the quality of service provided by the seller; and reassigning the offered telecommunications service to a different class if the quality of service provided by the seller improves or degrades.

- 9. The method of claim 8, wherein the service offer is reassigned only if the quality of service changes more than a predetermined amount.
- 10. The method of claim 8, stabilizing the reassignment of service offers using a hysteresis band.
- 11. The method of claim 1, further comprising:

monitoring the typical quality of service provided for the class; and reassigning the offered telecommunications service to a different class if the quality of service provided by the seller improves or degrades relative to the typical quality of service provided for the class.

- 12. A method of providing a telecommunications sale comprising the steps of:
  - defining classes for telecommunications services;
- acquiring from a buyer and a seller sell and purchase orders for telecommunications services;

30

5

10

verifying the seller's telecommunications service parameters;
storing the sell and purchase orders electronically
pooling sellers' telecommunications services based on the grade of
telecommunications service;

automatically identifying a seller's telecommunications service that satisfies the buyer's telecommunications service purchase order based on the sell and purchase orders; and enabling interconnection node or nodes between the seller and the buyer according to a pre-determined bilateral agreement.

- 13. The method of claim 12 wherein the step of defining classes includes choosing a set of class parameters and the values for the parameters.
- 14. The method of claim 12 wherein the step of defining grades includes specifying weighting factors for the grade parameters.
- 15. The method of claim 12 wherein the step of acquiring includes a seller and a buyer inputting sell and purchase orders into input templates on a secure network site.
- 16. The method of claim 15 wherein the step of inputting sell and purchase orders includes inputting the grade, capacity, route, price and the number of circuits information of the telecommunications service.
- 17. The method of claim 15 further comprising the step of determining the grade of a telecommunications service from the parameter values inputted.
- 18. The method of claim 12 wherein the step of verifying includes periodically verifying the classes of the telecommunications services available for sale.
- 19. The method of claim 18 further comprising the step of changing the class of a telecommunications service based on changed parameter values.

30

5

- 20. The method of claim 12 wherein the step of verifying includes periodically verifying the classes of the telecommunications service being used by a buyer.
- 21. The method of claim 20 further comprising the step of changing the class of a telecommunications service based on changed parameter values.
- 22. The method of claim 21 further comprising the step of assessing a penalty against a seller if its service is reassigned to a lower class.
- 23. The method of claim 12 further comprising the step of recommending an alternate telecommunications service to satisfy the buyer's purchase order.
  - 24. The method of claim 12 further comprising a buyer inputting a second purchase order when no match is identified for the buyer's first purchase order.
  - 25. The method of claim 12 wherein the step of identifying a seller's telecommunications service includes comparing the purchase order to services assigned to a class that satisfy the purchase order.
  - 26. The method of claim 12 wherein the step of identifying a seller's telecommunications service includes selecting a sell order from a class that satisfies the purchase order.
  - 27. The method of claim 12 wherein the step of identifying a seller's telecommunications service includes replacing a selected sell order with another sell order to satisfy the purchase order during an active use of telecommunications service that was the subject of the selected sell order.
  - 28. A telecommunications sale system comprising:
    - a plurality of sellers;
    - a plurality of buyers;
    - a secure network site for inputting sell and purchase orders from the sellers and

5

10

buyers, respectively, for telecommunications services;

for each sell order, means for verifying the seller's telecommunications service parameters;

a database for storing sell and purchase orders; and

means for identifying a seller's telecommunications service that automatically satisfies a buyer's telecommunications service purchase order.

- 29. The system of claim 28 further comprising means for enabling an interconnection node between the seller and the buyer.
- 30. The system of claim 28 wherein the communication line includes an Internet connection.
- 31. The system of claim 28 wherein the secure network site includes a secure world-wideweb site.
- 32. The system of claim 28 wherein at least one of the sellers is not a telecommunications carrier.
- 33. The system of claim 28 wherein at least one of the buyers is not a telecommunications carrier.
- 34. The system of claim 28 wherein, for each purchase order, the system assigns the purchase order to a class and requests approval for the assignment from the buyer.
- 35. The system of claim 28, wherein, for each purchase order, the purchase order is assigned to a class, and the system informs the buyer of a price at which the system will be able to match the buyer's purchase order with a sell order.
  - 36. The system of claim 35, wherein the system gives the buyer the opportunity to enter a price for its purchase order equal to said price.

## 37. A method of trading telecommunications services, comprising:

receiving a plurality of service offers and service requests, each offer and request being characterized by a plurality of parameters;

choosing from among the plurality of parameters a subset of parameters; choosing a value for each parameter of the subset of parameters;

assigning to a single class all service offers and service requests for which the value of each parameter of the subset of parameters corresponds to the chosen value.

18 NY2 - 985231.1

10

#### **Abstract**

A telecommunications services exchange that assigns telecommunications services to a relatively small number of tagged classes based on the values of certain parameters characterizing these services is disclosed. Carriers and other traders participating in the exchange may use the class tag to refer to each service they seek to purchase or sell. The relatively small number of classes increases the probability of matching offered and required services. Class definitions may be established on the basis of typical parameter values for a particular type of service, and may be modified over time as those values change. The exchange operator may monitor the parameter variation of each offered service, and swap that service for a different service when monitored variation exceeds that dictated by class boundaries. The system may employ a hysteresis band of suitable dimensions to ensure that the assignment of offered services to classes is as stable as desired while remaining sensitive to meaningful variations in parameter values.

19 NY2 - 985231.1





Fig. 1



#### Grade A

- · good speech clarity, and
- · no perceptible loudness degradation, and
- no perceptible noise, and
- · no perceptible cross-talk, and
- full duplex communications with imperceptible echo, and
- · one-way latency shorter than 100 milliseconds

Fig. 3A

#### Grade B

- fully omprehensible speech with little clarity degradation, or
- · fully comprehensible speech with little loudness degradation, or
- fully comprehensible speech with little perceptible noise, or
- fully duplex communication with barely perceptible echo, or
- · barely perceptible cross-talk, or
- · one-way latency between 101 and 135milliseconds

Fig. 3B

#### Grade C

- · fully omprehensible speech with some clarity degradation, or
- fully comprehensible speech with some loudness degradation, or
- fully comprehensible speech with some perceptible noise, or
- fully duplex communication with barely perceptible echo, or
- · barely perceptible cross-talk, or
- · one-way latency between 136 and 175milliseconds

Fig. 3C

#### Grade D

- · occasional difficulty in speech comprehension, or
- · occasional difficulty in transiting real-time fax, or
- · noticeable loudness degradation, or
- · some perceptible cross-talk, or
- less-than full duplex communications (e.g., one direction of communication is noticeably blocked while the other direction is active), or
- · commonly perceptible echo not interfering with interactive conversations, or
- · one-way latency exceeding 176 and 200 milliseconds.

Fig. 3D

#### Grade E

- difficulty in speech comprehension, or
- unble to transit real-time fax, or
- significant loudness degradation, or
- perceptible cross-talk, or
- virtually half-duplex communications (e.g., one direction of communication is significantly blocked while the other direction is active), or
- · commonly perceptible echo interfering with interactive conversations, or
- · one-way latency exceeding 201 milliseconds.

Fig. 3E


		r-401
SELLER INPUT	TEMPLATE	
CARRIER NAME: SELLER ID #: PASSWORD: SUBMITTED:	7/27/99	
SPECIFICATIONS:		
ORIGINATING LOCATION:		
TERMINATION LOCATION:		
PRICE:		
CAPACITY:		
NUMBER OF CIRCUITS:		
TIME AVAILABLE:		
GRADE (if known):		
IF NOT KNOWN:	Click here ~ 470	
SPECIAL FACTORS:	Click here	
Fig. 4A		~ "
BUYER INPU	T TEMPLATE	
CARRIER NAME: BUYER ID #: PASSWORD: SUBMITTED:	7/27/99	
SPECIFICATIONS:		
ORIGINATING LOCATION:		
TERMINATION LOCATION:		
PRICE:		
CAPACITY:		
NUMBER OF CIRCUITS:		
TIME REQUESTING:		
GRADE (if known):		
IF NOT KNOWN:	Click here	
SPECIAL FACTORS:	Click here	

Fig. 4B

SELLER INPUT TE	MPLATE	
CARRIER NAME: SELLER ID #: PASSWORD: SUBMITTED:	USAGLOBAL SC300M3A4 ******* 7/27/99	
SPECIFICATIONS:		
ORIGINATING LOCATION:	NEW YORK	
TERMINATING LOCATION:	LONDON	
PRICE:	\$5k/month 120 k min/month	
CAPACITY:	200	
NUMBER OF CIRCUITS:	8/1/1999 to 1/2000	
TIME AVAILABLE:  SPECIAL FACTORS:	Click here	
PARAMETER INPUTS:  TYPE OF CONNECTION  VOICE COMPRESSION RATIO		
SPEECH CLARITY LOUDNESS DEGRADATION		
NOISE		
CROSS-TALK		
i		
DUPLEX CAPABILITY / ECHO	LEVEL	

BUYER NPUT TEMPLATE	
CARRIER NAME: BUYER ID #: PASSWORD:	EUROGLOBAL BC620Z3A6 *******
SUBMITTED:	7/29/99
SPECIFICATIONS:	
ORIGINATING LOCATION:	NEW YORK
TERMINATING LOCATION	LONDON
PRICE:	\$10k/month
CAPACITY:	100 k min/month
NUMBER OF CIRCUITS:	100
TIME REQUESTING:	8/1/1999 to 12/1/1999
SPECIAL WEIGHING FACTORS:	Click here
PARAMETER INPUTS:	
TYPE OF CONNECTION	
VOICE COMPRESSION RATIO	
SPEECH CLARITY	
LOUDNESS DEGRADATION	
NOISE	
CROSS-TALK	
DUPLEX CAPABILITY / ECHO LEVEL	


Fig. 5B



- Grade\* of USAGLOBAL at 5/99 1975: B
- Grade\* of USAGLOBAL at 7/99:
- С
- Grade\* of USAGLOBAL at 9/99:
- Е
- \*: with other parameters held at same value

Fig. 6B

`



#### DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below at 201 et seq. underneath my name.

I believe I am the original, first and sole inventor if only one name is listed at 201 below, or an original, first and joint inventor if plural names are listed at 201 et seq. below, of the subject matter which is claimed and for which a patent is sought on the invention entitled

ASSIGNING TELECOMMUNICATIONS S	SERVICES TO MATCHABLE	CLASSES		
and for which a patent application:  ☑ is attached hereto ☐ was filed in the United States on with amendment(s) filed on	as Application No.	(for declaration not accompanyin	eg application)	
with amendment(s) filed on	_ (if applicable) n No on	and was amended u	under PCT Article	e 19 on
I hereby state that I have reviewed and und amendment referred to above.				
I acknowledge the duty to disclose informati §1.56.	on known to me to be material	to patentability as defined in Title	e 37, Code of Fed	eral Regulations,
I hereby claim foreign priority benefits und certificate listed below and have also identif of the application on which priority is claim	ied below any foreign applicati	le, §119(a)-(d) of any foreign app on for patent or inventor's certific	olication(s) for pate that the parties of the parti	tent or inventor's g date before that
EARLIEST FOREIGN APPLICA	ATION(S), IF ANY, FILED P	RIOR TO THE FILING DATE O	F THE APPLICA	ATION
APPLICATION NUMBER	COUNTRY	DATE OF FILING (day, month, year)	PRIOI CLAI	RITY
4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			YES □	NO □
5 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			YES □	NO 🗆
Increby claim the benefit under Title 35, U	Inited States Code, §119(e) of a	any United States provisional appl	ication(s) listed be	elow.
APPLICATION NUM	MBER	FILING	DATE	
40				
Thereby claim the benefit under Title 35, Umatter of each of the claims of this application Title 35. United States Code §112, I acknowledge.	on is not disclosed in the prior l	Inited States application in the ma	mer provided by i	me msi paragrapii

of Title 35, United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NO.	FILING DATE	STATUS		
		PATENTED	PENDING	ABANDONED
09/213,703	December 17, 1998		х	
09/129,413	August 5, 1998		x	
08/927,443	September 11, 1997		Х	
08/920,567	August 29, 1997			X

POWER OF ATTORNEY: As a named inventor, I hereby appoint S. Leslie Misrock (Reg. No. 18872), Harry C. Jones, III (Reg. No. 20280), Berj A. Terzian (Reg. No. 2060), Gerald J. Flintoft (Reg. No. 20823), David Weild, III (Reg. No. 21094), Jonathan A. Marshall (Reg. No. 24614), Barry D. Rein (Reg. No. 22411), Stanton T. Lawrence, III (Reg. No. 25736), Isaac Jarkovsky (Reg. No. 22713), Joseph V. Colaianni (Reg. No. 20019), Charles E. McKenney (Reg. No. 22795), Philip T. Shannon (Reg. No. 24278), Francis E. Morris (Reg. No. 24615), Charles E. Miller (Reg. No. 24576), Gidon D. Stern (Reg. No. 27469), John J. Lauter, Jr. (Reg. No. 27814), Brian M. Poissant (Reg. No. 28462), Brian D. Coggio (Reg. No. 27624), Rory J. Radding (Reg. No. 28749), Stephen J. Harbulak (Reg. No. 29166), Donald J. Goodell (Reg. No. 19766), James N. Palik (Reg. No. 25510), Thomas E. Friebel (Reg. No. 29258), Laura A. Coruzzi (Reg. No. 30742), Jennifer Gordon (Reg. No. 30753), Jon R. Stark (Reg. No. 30111), Allan A. Fanucci (Reg. No. 30256), Geraldine F. Baldwin (Reg. No. 31232), Victor N. Balancia (Reg. No. 31231), Samuel B. Abrams (Reg. No. 30605), Steven I. Wallach (Reg. No. 35402), Marcia H. Sundeen (Reg. No. 30893), Paul J. Zegger (Reg. No. 33821), Edmond R. Bannon (Reg. No. 32110), Bruce J. Barker (Reg. No. 33291), Adriane M. Antler (Reg. No. 32605), Ann L. Gisolfi (Reg. No. 31956), SaraLynn Mandel (Reg. No. 31853), Mark A. Farley (Reg. No. 33170), and James G. Markey (Reg. No. 31636), all of Pennie & Edmonds LLP, whose addresses are 1155 Avenue of the Americas, New York, New York 10036, 1667 K Street N. W., Washington, DC 20006 and 3300 Hillview Avenue, Palo Alto, CA 94304, and each of them, my attorneys, to prosecute this application, and to transact all business in the Patent and Trademark Office connected therewith.

NY2 - 984362.1 (1)

SENI	O CORRESPONDEN	CE TO: PENNIE & EDMONDS 1155 AVENUE OF THE NEW YORK, N.Y. 1003	AMERICAS PENNIE &	TELEPHONE CALL & EDMONDS LLP I 2803	S TO: DOCKETING
2 0 1	FULL NAME OF INVENTOR	LAST NAME Mashinsky	FIRST NAME Alexander	MIDDLE NAME	
	RESIDENCE & CITIZENSHIP	CITY New York	STATE OR FOREIGN COUNTRY New York	COUNTRY OF CITIZENSHIP  ISTAEl	
	POST OFFICE ADDRESS	STREET 495 West End Avenue, Apt. 8H	CITY New York	STATE OR COUNTRY New York	ZIP CODE 10023
2 0 2	FULL NAME OF INVENTOR	LAST NAME Mayer	FIRST NAME  Daniel	MIDDLE NAME Jitzchak	
	RESIDENCE & CITIZENSHIP	CITY Warren	STATE OR FOREIGN COUNTRY New Jersey	COUNTRY OF CITIZENSHIP United States of America	
	POST OFFICE ADDRESS	STREET 9 Apple Tree Lane	crry Warren	STATE OR COUNTRY New Jersey	ZIP CODE 07059
2 0 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	STREET	СІТУ	STATE OR COUNTRY	ZIP CODE
	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
Wall H	POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE
ing the great period gent period	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE
2 0 6	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	RESIDENCE & CITIZENSHIP	СІТУ	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	STREET	СПУ	STATE OR COUNTRY	ZIP CODE

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
DATE	DATE 2/5/99	DATE
SIGNATURE OF INNENTOR 204	SIGNATURE OF INVENTOR 205	SIGNATURE OF INVENTOR 206
DATE	DATE	DATE